

CRYSTAL

thickness: 1.1-1.3MM
average size: 55 sq. ft
availability: in stock leather
category: Aniline
finish type: Waxy
raw material: European

Crystal is an aniline dyed leather that is oiled or waxed for a soft, sophisticated, distressed appearance. When pulled, the oils or waxes cause the coloring to migrate and become lighter in the pulled areas; a look associated with fine, authentically aged furniture. A protective clear coat is applied to give Crystal an additional luster and great wear ability.

Colorways available: Baby Blue, Bayou, Black, Bordo, Cemento, Charcoal, Chocolate, Forest, Grey, Indigo, Ivory, Lacquer Red, Light Moss, Mustard, Nova, Olive, Ranch, Sand, Sella, and Teal

SPECIFICATIONS

performance characteristics

| | |
|---|---|
| EN ISO 4045 | |
| DETERMINE Ph & Ph (DIFFERENCE FIGURE) | Min 3,2 |
| ISO105/B02 | |
| | Grey Scale ≥ 3 on specimen |
| COLOR FASTNESS OF LEATHER TO LIGHT: XENON LAMP | Grey Scale = 3 on Reference Blue Wool #4 |
| ISO 11641 | |
| COLOR FASTNESS OF LEATHER TO PERSPIRATION | 20 Cycles ≥ 3 |
| EN ISO 11640 | |
| COLOR FASTNESS OF LEATHER TO RUBBING | 50 Cycles Dry ≥ 3 20 Cycles Wet ≥ 3 |
| EN ISO 11644 | |
| FINISH ADHESION | 2 N/cm |
| EN ISO 3376 | |
| MEASURE TENSILE STRENGTH AND % ELONGATION | Tensile Strength ≥ 8 Mpa % Elongation $\leq 80\%$ |
| EN ISO 3377-1 | |
| TEAR STRENGTH (SINGLE EDGE TEAR) | >20 N Minimum |

flame resistance

| | |
|-------------------------------|----------|
| CA TB 117 - 2013 | Complies |
| NFPA - 260 CIGARETTE IGNITION | Class 1 |
| FMVSS 302 | Complies |

